

# Section 27

## Intracoastal Waterway Myrtle Grove Sound, NC to Little River, SC

| (1)<br>No.   | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                                |                |
| <b>MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)</b>        |  |                          |                       |               |              |                                |                |
| <b>New River - Cape Fear River</b>                             |  |                          |                       |               |              |                                |                |
| 39675  | - Daybeacon 141                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39680  | - Daybeacon 143                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39685  | - LIGHT 145                            |                          | <b>FIG 4s</b>         | 18            | 4            | SG-SY on pile.                 |                |
| 39690  | - Daybeacon 146                        |                          |                       |               |              | TR-TY on pile.                 |                |
| 39695  | - Daybeacon 148                        |                          |                       |               |              | TR-TY on pile.                 |                |
| 39700  | - Daybeacon 149                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39705  | - Daybeacon 150                        |                          |                       |               |              | TR-TY on pile.                 |                |
| 39710  | - Daybeacon 151                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39715  | - Daybeacon 152                        |                          |                       |               |              | TR-TY on pile.                 |                |
| 39720  | NEW RIVER/CAPE FEAR<br>RIVER LIGHT 153 | 34 05 14 N<br>77 52 50 W | <b>FIG 4s</b>         | 15            | 3            | SG-SY on multi-pile structure. |                |
| 39725  | - Buoy 154                             |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39726  | - Buoy 154A                            |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39730  | - Buoy 155                             |                          |                       |               |              | Green can with yellow square.  |                |
| <b>Inlet Watch Yacht club Harbor</b>                           |  |                          |                       |               |              |                                |                |
| 39733  | - LIGHT 1                              |                          | <b>FIG 2.5s</b>       | 10            |              | SG on pile.                    | Private aid.   |
| <b>New River-Cape Fear River</b>                               |  |                          |                       |               |              |                                |                |
| 39735  | - Buoy 155A                            |                          |                       |               |              | Green can with yellow square.  |                |
| <b>New River - Cape Fear River</b>                             |  |                          |                       |               |              |                                |                |
| 39740  | - Daybeacon 156                        |                          |                       |               |              | TR-TY on pile.                 |                |
| 39745  | - Daybeacon 157                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39750  | - Daybeacon 159                        |                          |                       |               |              | SG-SY on pile.                 |                |
| 39755  | - LIGHT 161                            |                          | <b>FIG 4s</b>         | 15            | 4            | SG-SY on multi-pile structure. |                |
| 39756  | - Buoy 161A                            |                          |                       |               |              | Green can with yellow square.  |                |
| 39757  | - Buoy 162                             |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39758  | - Buoy 162A                            |                          |                       |               |              | Red nun with yellow triangle.  |                |
| <b>Carolina Beach Harbor</b>                                   |  |                          |                       |               |              |                                |                |
| 39760  | - Channel Daybeacon 2                  |                          |                       |               |              | TR on pile.                    |                |
| 39765  | - Channel Daybeacon 4                  |                          |                       |               |              | TR on pile.                    |                |
| 39770  | - Channel Daybeacon 5                  | 34 03 06 N<br>77 53 22 W |                       |               |              | SG on pile.                    |                |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                                |                |
| 39780  | Carolina Beach Harbor Channel<br>Daybeacon 7                            | 34 02 34 N<br>77 53 25 W |                       |               |              | SG on pile.                    |                |
| <b>Wilmington Short Cut</b>                                    |   |                          |                       |               |              |                                |                |
| <i>Structures 35 feet outside channel limit.</i>               |   |                          |                       |               |              |                                |                |
| 39785  | - Daybeacon 1   | 34 03 13 N<br>77 55 16 W |                       |               |              | SG on pile                     |                |
| 39790  | - Daybeacon 3   |                          |                       |               |              | SG on pile.                    |                |
| 39795  | - Daybeacon 4   | 34 03 26 N<br>77 55 31 W |                       |               |              | TR on pile.                    |                |
| 39800  | - LIGHT 5   |                          | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                    |                |
| 39805  | Wilmington Shortcut Daybeacon<br>7                                      | 34 03 46 N<br>77 55 42 W |                       |               |              | SG on pile.                    |                |
| 39810  | Wilmington Shortcut Daybeacon<br>9                                      | 34 04 06 N<br>77 55 43 W |                       |               |              | SG on pile.                    |                |
| 39815  | WILMINGTON SHORTCUT<br>LIGHT 10   | 34 04 19 N<br>77 55 38 W | <b>FIR 4s</b>         | 15            | 3            | TR on pile.                    |                |
| 39820  | - Daybeacon 12  |                          |                       |               |              | TR on multi-pile structure.    |                |
| <b>New River - Cape Fear River</b>                             |   |                          |                       |               |              |                                |                |
| <i>Aids located 35 feet outside channel limit.</i>             |   |                          |                       |               |              |                                |                |
| 39825  | - LIGHT 163   |                          | <b>FIG 4s</b>         | 15            | 4            | SG-SY on pile.                 |                |
| 39830  | SNOWS CUT RANGE FRONT<br>LIGHT A  |                          | <b>Q W</b>            | 15            |              | KWR-I on multi-pile structure. |                |
| 39835  | SNOWS CUT RANGE REAR<br>LIGHT A<br>200 yards, 245° from<br>front light. | 34 02 55 N<br>77 55 47 W | <b>Iso W 6s</b>       | 27            |              | KWR-I on skeleton tower.       |                |
| 39840  | SNOWS CUT RANGE FRONT<br>LIGHT B  | 34 03 19 N<br>77 55 23 W | <b>Q R</b>            | 20            |              | KWR-I on multi-pile structure. |                |
| 39845  | SNOWS CUT RANGE REAR<br>LIGHT B<br>700 yards, 026° from<br>front light. |                          | <b>Iso R 6s</b>       | 33            |              | KWR-I on pile structure.       |                |
| 39850  | - Daybeacon 165   |                          |                       |               |              | SG-SY on pile.                 |                |
| 39855  | - Daybeacon 167   |                          |                       |               |              | SG-SY on pile.                 |                |
| 39860  | - Daybeacon 170   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39865  | - Daybeacon 172   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39870  | - Daybeacon 174   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39875  | - Daybeacon 176   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39880<br>30690   | - LIGHT 177   |                          | <b>FIG 4s</b>         | 16            | 4            | SG-SY on pile.                 |                |
| <b>Cape Fear River</b>   |   |                          |                       |               |              |                                |                |
| 39885<br>30695   | - Channel Lighted<br>Buoy 35  |                          | <b>FIG 4s</b>         |               | 4            | Green.                         |                |
| 39890<br>30675   | UPPER MIDNIGHT CHANNEL<br>NORTH RANGE FRONT<br>LIGHT                    | 34 03 24 N<br>77 56 24 W | <b>Q W</b>            | 22            |              | KWR on skeleton tower.         |                |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                      | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|---|--------------------------|--|---------------|--------------|--|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |  |               |              |  |   |
| 39895<br>30680   | UPPER MIDNIGHT CHANNEL<br>NORTH RANGE REAR<br>LIGHT<br>850 yards, 359.5° from<br>front light. |                          | <b>Iso W 6s</b>                            | 42            |              | KWR on structure.  |   |
| 39900<br>30685   | - Channel Lighted<br>Buoy 33  |                          | <b>FI G 2.5s</b>                           |               | 3            | Green with yellow triangle.  |   |
| 39905<br>30670   | Cape Fear River Channel Lighted<br>Buoy 31  | 34 00 39 N<br>77 56 26 W | <b>Q G</b>                                 |               | 3            | Green with yellow triangle.  |   |
| 39910<br>30665   | - Channel Lighted Buoy 30   |                          | <b>FI R 4s</b>                             |               | 3            | Red with yellow square.  |   |
| 39915<br>30640   | LOWER MIDNIGHT CHANNEL<br>RANGE FRONT LIGHT   | 34 01 24 N<br>77 56 06 W | <b>Q W</b>                                 | 22            |              | KRW on skeleton tower.   |   |
| 39920<br>30645   | LOWER MIDNIGHT CHANNEL<br>RANGE REAR LIGHT<br>3,000 yards, 014.5° from<br>front light.        |                          | <b>Iso W 6s</b>                            | 42            |              | KWR on structure.  |   |
| 39925<br>30650   | - Channel Lighted<br>Buoy 29  |                          | <b>FI G 4s</b>                             |               | 4            | Green with yellow triangle.  |   |
| 39930<br>30635   | - Channel Lighted<br>Buoy 28  |                          | <b>Q R</b>                                 |               | 4            | Red with yellow square.  |   |
| 39935<br>30555   | REAVES POINT CHANNEL<br>RANGE FRONT LIGHT   | 33 57 41 N<br>77 56 59 W | <b>Iso W 2s (Day)<br/>Iso W 2s (Night)</b> | 15<br>21      |              | On multi-pile structure. On same<br>structure as Snows Marsh<br>Channel Range Front Light. |   |
| 39940<br>30560   | REAVES POINT CHANNEL<br>RANGE REAR LIGHT  | 33 57 06 N<br>77 57 03 W | <b>Iso W 6s (Day)<br/>Iso W 6s (Night)</b> | 37<br>40      |              | On multi-pile structure.   | Lighted throughout 24 hours.  |
| 39941<br>30560.5   | Reaves Point Channel Range<br>Rear Passing Lights (2)   | 33 57 06 N<br>77 57 03 W | <b>FI W 4s</b>                             | 15            | 4            | On same structure as Reaves<br>Point Channel Range Rear<br>Light.                          |   |
| 39945<br>30550   | - Channel Lighted<br>Buoy 27  |                          | <b>Q G</b>                                 |               | 4            | Green with yellow triangle.  |   |
| 39950<br>30535   | HORSESHOE SHOAL<br>CHANNEL RANGE FRONT<br>LIGHT   | 33 56 36 N<br>77 57 48 W | <b>Q W (Day)<br/>Q W (Night)</b>           | 20<br>23      |              | On skeleton tower.   | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 39955<br>30540   | HORSESHOE SHOAL<br>CHANNEL RANGE REAR<br>LIGHT<br>1,482 yards, 203.1° from<br>front light.    |                          | <b>Iso W 6s (Day)<br/>Iso W 6s (Night)</b> | 45<br>48      |              | On skeleton tower.   | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 39960<br>30545   | - Channel Lighted<br>Buoy 26  |                          | <b>FI R 4s</b>                             |               | 4            | Red with yellow square.  |   |
| 39965<br>30530   | - Channel Lighted<br>Buoy 25  |                          | <b>Q G</b>                                 |               | 4            | Green with yellow triangle.  |   |
| 39966<br>30491   | FEDERAL POINT RANGE<br>FRONT LIGHT  | 38 58 12 N<br>77 56 48 W | <b>FI W 2.5s</b><br>1s fl 1.5s ec.         | 22            |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Higher intensity on rangeline.  |
| 39967<br>30492   | FEDERAL POINT RANGE REAR<br>LIGHT<br>880 yards, 338° from front<br>light.                     |                          | <b>Iso W 6s</b>                            | 42            |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Higher intensity on rangeline.  |
| 39969<br>30494   | FEDERAL POINT RANGE REAR<br>PASSING LIGHT   |                          | <b>FI W 4s</b>                             | 17            | 3            | On same structure as<br>Federal Point Range<br>Rear Light.                                 | Visible all around only at night.   |
| 39970<br>30485   | SNOWS MARSH CHANNEL<br>RANGE FRONT LIGHT  | 33 57 42 N<br>77 57 00 W | <b>Q W</b>                                 | 18<br>21      |              | KWR on multi-pile.<br>On same structure as<br>Reaves Point Channel Range<br>Front Light.   |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                      | (8)<br>Remarks  |
|--|---|--------------------------|--|---------------|--------------|---|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |  |               |              |   |   |
| 39975<br>30490   | SNOWS MARSH CHANNEL<br>RANGE REAR LIGHT<br>1,495 yards, 045.3° from<br>front light. | 33 58 12 N<br>77 56 21 W | <b>Iso W</b> 6s (Day)<br><b>Iso W</b> 6s (Night) | 52<br>55      |              | Skeleton tower on multi-pile<br>structure.            | Lighted throughout 24 hours.<br>Higher intensity on<br>rangeline.   |
| 39976<br>30490.5   | Snows Marsh Range Rear<br>Passing Lights (2)  | 33 58 12 N<br>77 56 21 W | <b>FI W</b> 4s                                   | 15            | 4            | On same structure as Snows<br>Marsh Range Rear Light. |   |
| 39980<br>30525   | - Channel Lighted<br>Buoy 23  |                          | <b>FI G</b> 4s                                   |               | 4            | Green with yellow triangle.                           |   |
| <b>Price Creek</b>   |   |                          |  |               |              |   |   |
| 39985<br>30495   | - SOUTH MOORING<br>DOLPHIN LIGHT  | 33 56 00 N<br>77 59 18 W | <b>FI Y</b> 4s                                   | 12            |              | On dolphin.   | Private aid.  |
| 39990<br>30500   | - SOUTH BREASTING<br>DOLPHIN LIGHT  |                          | <b>FI Y</b> 4s                                   | 12            |              | On dolphin.   | Private aid.  |
| 39995<br>30505   | - LOADING PLATFORM<br>LIGHTS (2)  |                          | <b>FI Y</b> 4s                                   | 12            |              | On platform.  | Private aids.   |
| 40000<br>30510   | - NORTH BREASTING<br>DOLPHIN LIGHT  |                          | <b>FI Y</b> 4s                                   | 12            |              | On dolphin.   | Private aid.  |
| 40005<br>30515   | - NORTH MOORING<br>DOLPHIN LIGHT  |                          | <b>FI Y</b> 4s                                   | 12            |              | On dolphin.   | Private aid.  |
| <b>Cape Fear River</b>   |   |                          |  |               |              |   |   |
| 40010<br>30520   | - Channel Lighted<br>Buoy 22  |                          | <b>FI R</b> 4s                                   |               | 4            | Red with yellow square.                               |   |
| 40011  | DEEP POINT<br>MARINA LIGHT 1  | 33 55 46 N<br>77 59 40 W | <b>FI G</b> 2s                                   | 12            |              | SG on pile.   | Private aid.  |
| 40013  | DEEP POINT<br>MARINA LIGHT 2  | 33 55 47 N<br>77 59 38 W | <b>FI R</b> 2s                                   | 12            |              | TR on pile.   | Private aid.  |
| 40015<br>30480   | - Channel Lighted<br>Buoy 20  |                          | <b>Q R</b>                                       |               | 3            | Red with yellow square.                               |   |
| 40020<br>30475   | - Channel Lighted<br>Buoy 19<br>50 feet outside channel<br>limit.                   | 33 55 16 N<br>78 00 16 W | <b>FI G</b> 4s                                   |               | 4            | Green with yellow triangle.                           | Marks pile of stone ballast.  |
| 40025<br>30460   | LOWER SWASH CHANNEL<br>RANGE FRONT LIGHT  | 33 55 51 N<br>77 59 05 W | <b>Q W</b> (day)<br><b>Q W</b> (night)           | 20<br>23      |              | On multi-pile structure.                              | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 40030<br>30465   | LOWER SWASH CHANNEL<br>RANGE REAR LIGHT<br>767 yards, 055.1° from<br>front light.   |                          | <b>Iso W</b> 6s (day)<br><b>Iso W</b> 6s (night) | 28<br>31      |              | Skeleton tower on multi-pile<br>structure.            | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 40035<br>30455   | SOUTHPORT LIGHT 1   | 33 54 53 N<br>78 01 12 W | <b>FI G</b> 2.5s                                 | 15            | 3            | SG-SY on multi-pile structure.                        |   |
| <b>Cape Fear River - Little River</b>                          |   |                          |  |               |              |   |   |
| 40040<br>30410   | SOUTHPORT CHANNEL<br>RANGE<br>REAR LIGHT<br>1,426 yards, 319.5° from front<br>light |                          | <b>Iso R</b> 6s (Day)<br><b>Iso R</b> 6s (Night) | 39<br>42      |              | On skeleton tower SG-SY on<br>multi-pile structure.   | Lighted throughout 24 hours.<br>Visible on rangeline only.  |
| 40045  | - Buoy 2  | 33 54 55 N<br>78 01 09 W |  |               |              | Red nun with yellow triangle.                         |   |
| 40050  | - LIGHT 2A  |                          | <b>FI R</b> 4s                                   | 15            | 3            | TR-TY on pile.  |   |
| 40055  | - Daybeacon 5   |                          |  |               |              | SG-SY on pile.  |   |

| (1)<br>No.   | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                                |  |
| 40060  | - LIGHT 7<br>35 feet outside channel<br>limit.      |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.                 |  |
| 40065  | - Daybeacon 8                                       |                          |                       |               |              | TR-TY on pile.                 |  |
| 40070  | - Daybeacon 9<br>35 feet outside channel<br>limit.  |                          |                       |               |              | SG-SY on pile.                 |  |
| 40075  | - LIGHT 11  |                          | <b>FI G</b> 4s        | 18            | 4            | SG-SY on pile.                 |  |
| 40080  | - Daybeacon 13                                      |                          |                       |               |              | SG-SY on pile.                 |  |
| 40085  | - Daybeacon 15                                      |                          |                       |               |              | SG-SY on pile.                 |  |
| 40090  | - LIGHT 16  |                          | <b>FI R</b> 4s        | 18            | 4            | TR-TY on pile.                 | Higher intensity beam toward<br>Lockwoods Folly River. |
| 40095  | - LIGHT 18  |                          | <b>FI R</b> 4s        | 15            | 7            | TR-TY on multi-pile structure. | Higher intensity beam toward<br>Southport.             |
| 40100  | - LIGHT 24  |                          | <b>FI R</b> 4s        | 18            | 4            | TR-TY on multi-pile structure. |  |
| 40105  | - Daybeacon 26                                      |                          |                       |               |              | TR-TY on pile.                 |  |
| 40110  | - Daybeacon 28                                      |                          |                       |               |              | TR-TY on pile.                 |  |
| 40115  | - LIGHT 29  |                          | <b>FI G</b> 4s        | 18            | 4            | SG-SY on pile.                 |  |
| 40120  | - Daybeacon 32                                      |                          |                       |               |              | TR-TY on pile.                 |  |
| 40125  | - LIGHT 33<br>35 feet outside channel<br>limit.     | 33 55 16 N<br>78 12 45 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |  |
| 40130  | - Daybeacon 36<br>35 feet outside channel<br>limit. |                          |                       |               |              | TR-TY on pile.                 |  |
| <b>Lockwoods Folly River</b>                                   |   |                          |                       |               |              |                                |  |
| 40135  | - Daybeacon 1                                       | 33 55 29 N<br>78 12 58 W |                       |               |              | SG on pile.                    |  |
| 40140  | - Daybeacon 2                                       |                          |                       |               |              | TR on pile.                    |  |
| 40145  | - Daybeacon 4                                       |                          |                       |               |              | TR on pile.                    |  |
| 40150  | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.                    |  |
| 40155  | - Daybeacon 6                                       |                          |                       |               |              | TR on pile.                    |  |
| 40160  | - Daybeacon 7                                       |                          |                       |               |              | SG on pile.                    |  |
| 40165  | Lockwoods Folly River<br>Daybeacon 8                | 33 56 23 N<br>78 13 11 W |                       |               |              | TR on pile.                    |  |
| 40170  | - Daybeacon 9                                       |                          |                       |               |              | SG on pile.                    |  |
| 40175  | - Daybeacon 10                                      |                          |                       |               |              | TR on pile.                    |  |
| 40180  | - Daybeacon 12                                      |                          |                       |               |              | TR on pile.                    |  |
| 40185  | - Daybeacon 14                                      |                          |                       |               |              | TR on pile.                    |  |
| 40190  | - Daybeacon 16                                      |                          |                       |               |              | TR on pile.                    |  |
| <b>Cape Fear River - Little River</b>                          |   |                          |                       |               |              |                                |  |
| 40195  | - Daybeacon 39<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |  |

| (1)<br>No.   | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                                |                |
| 40200  | - LIGHT 40<br>35 feet outside channel<br>limit.     | 33 55 32 N<br>78 13 11 W | <b>F I R</b> 4s       | 15            | 3            | TR-TY on pile.                 |                |
| 40205  | - Daybeacon 41<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40210  | - Daybeacon 42<br>35 feet outside channel<br>limit. |                          |                       |               |              | TR-TY on pile.                 |                |
| 40215  | - LIGHT 44<br>35 feet outside channel<br>limit.     |                          | <b>F I R</b> 4s       | 15            | 3            | TR-TY on pile.                 |                |
| 40220  | - Daybeacon 46                                      |                          |                       |               |              | TR-TY on pile.                 |                |
| 40223  | - Buoy 46A  |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 40225  | - Buoy 47   |                          |                       |               |              | Green can with yellow square.  |                |
| 40230  | Cape Fear Little River Buoy 47A                     | 33 55 14 N<br>78 14 13 W |                       |               |              | Green can with yellow square.  |                |
| 40235  | - Buoy 48   |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 40240  | - LIGHT 48A   |                          | <b>F I R</b> 4s       | 15            | 3            | TR-TY on pile.                 |                |
| 40245  | - LIGHT 50  |                          | <b>F I R</b> 4s       | 14            | 3            | TR-TY on pile.                 |                |
| 40250  | - LIGHT 51  |                          | <b>F I G</b> 4s       | 15            | 4            | SG-SY on pile.                 |                |
| 40255  | - LIGHT 51A   |                          | <b>F I G</b> 4s       | 15            | 4            | SG-SY on pile.                 |                |
| 40260  | - Daybeacon 53                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40265  | - Daybeacon 55                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40270  | - Daybeacon 57                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40275  | - LIGHT 59  |                          | <b>F I G</b> 4s       | 15            | 4            | SG-SY on pile.                 |                |
| 40280  | - Daybeacon 61                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40285  | - Daybeacon 63                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40290  | - Daybeacon 65                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40295  | - LIGHT 67  |                          | <b>F I G</b> 4s       | 15            | 4            | SG-SY on pile.                 |                |
| 40300  | - Daybeacon 69                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40305  | - Daybeacon 71                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40310  | - LIGHT 71A<br>35 feet outside channel<br>limit.    |                          | <b>F I G</b> 4s       | 15            | 4            | SG-SY on pile.                 |                |
| 40315  | - Daybeacon 73<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40320  | - Daybeacon 75<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40325  | - LIGHT 77  |                          | <b>F I G</b> 4s       | 15            | 3            | SG-SY on multi-pile structure. |                |
| 40330  | - LIGHT 78  |                          | <b>F I R</b> 4s       | 15            | 3            | TR-TY on pile.                 |                |
| 40335  | - Daybeacon 80                                      |                          |                       |               |              | TR-TY on pile.                 |                |

| (1)<br>No.   | (2)<br>Name and Location                             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------|-------------------------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                  |                               |
| 40337  | Cape Fear River/Little River Buoy<br>80A             | 33 54 25 N<br>78 23 08 W |                       |               |              |                  | Red nun with yellow square.   |
| 40340  | - Buoy 81  | 33 54 25 N<br>78 23 04 W |                       |               |              |                  | Green can with yellow square. |
| 40345  | - Buoy 82  |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 40350  | - LIGHT 83   | 33 54 17 N<br>78 23 21 W | <b>FI G</b> 4s        | 15            | 4            |                  | SG-SY on pile.                |
| 40355  | - LIGHT 84   |                          | <b>FI R</b> 4s        | 15            | 3            |                  | TR-TY on pile.                |
| 40360  | - LIGHT 85   |                          | <b>FI G</b> 4s        | 16            | 4            |                  | SG-SY on pile.                |
| 40365  | - Daybeacon 87                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40370  | - Daybeacon 89                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40375  | - LIGHT 90   | 33 53 53 N<br>78 25 36 W | <b>FI R</b> 4s        | 15            | 3            |                  | TR-TY on pile.                |
| 40380  | - Daybeacon 91                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40385  | - LIGHT 93   |                          | <b>FI G</b> 4s        | 15            | 4            |                  | SG-SY on pile.                |
| 40390  | - Daybeacon 95                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40395  | - Daybeacon 97                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40400  | - LIGHT 98   |                          | <b>FI R</b> 4s        | 12            | 3            |                  | TR-TY on pile.                |
| 40405  | - Daybeacon 99                                       |                          |                       |               |              |                  | SG-SY on pile.                |
| 40410  | - LIGHT 101<br>35 feet outside channel<br>limit.     | 33 53 15 N<br>78 29 08 W | <b>FI G</b> 4s        | 15            | 4            |                  | SG-SY on pile.                |
| 40415  | - Daybeacon 103<br>35 feet outside channel<br>limit. |                          |                       |               |              |                  | SG-SY on pile.                |
| 40420  | - Daybeacon 105<br>35 feet outside channel<br>limit. |                          |                       |               |              |                  | SG-SY on pile.                |
| 40425  | - LIGHT 108<br>35 feet outside channel<br>limit.     |                          | <b>FI R</b> 4s        | 15            | 3            |                  | TR-TY on pile.                |
| 40430  | - Daybeacon 109<br>35 feet outside channel<br>limit. |                          |                       |               |              |                  | SG-SY on pile.                |
| 40435  | - LIGHT 111<br>35 feet outside channel<br>limit.     |                          | <b>FI G</b> 4s        | 15            | 3            |                  | SG-SY on pile.                |
| 40440  | - Daybeacon 113                                      |                          |                       |               |              |                  | SG-SY on pile.                |
| 40445  | - Daybeacon 115                                      |                          |                       |               |              |                  | SG-SY on pile.                |

**INTRACOASTAL WATERWAY (South Carolina) - Fifth District**

**MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)**

**Cape Fear River - Little River**

|       |             |  |                |    |   |  |                |
|-------|-------------|--|----------------|----|---|--|----------------|
| 40450 | - LIGHT 116 |  | <b>FI R</b> 4s | 18 | 3 |  | TR-TY on pile. |
| 40455 | - LIGHT 117 |  | <b>FI G</b> 4s | 15 | 4 |  | SG-SY on pile. |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>INTRACOASTAL WATERWAY (South Carolina) - Fifth District</b> |                          |                 |                       |               |              |                  |                |

|       |             |  |               |    |   |                |  |
|-------|-------------|--|---------------|----|---|----------------|--|
| 40460 | - LIGHT 119 |  | <b>FIG 4s</b> | 15 | 4 | SG-SY on pile. |  |
|-------|-------------|--|---------------|----|---|----------------|--|